

10 / 454,860

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	18657	(ink adj3 head) or (inkjet adj3 head) or printhead	USPAT	2004/11/22 17:17
2	BRS	L2	373	1 same CMOS	USPAT	2004/11/22 17:17
3	BRS	L3	284	2 and "347"/\$.ccls.	USPAT	2004/11/22 17:17
4	BRS	L4	46	2 and 347/56-59.ccls.	USPAT	2004/11/22 17:21
5	BRS	L5	7	2 and 347/9-10.ccls.	USPAT	2004/11/22 17:22
6	BRS	L6	49	2 and 347/44.ccls.	USPAT	2004/11/22 17:23
7	BRS	L7	14	2 and 347/63-65.ccls.	USPAT	2004/11/22 17:23
8	BRS	L8	1994	(capacitor or capacitance or capacitive) same uF	USPAT	2004/11/22 17:26
9	BRS	L9	4	8 and "347"/\$.ccls.	USPAT	2004/11/22 17:28

10/656,860

	Type	Hits	Search Text
20	BRS	524826	resistor or heater or transducer or electrothermal or ((heat\$3 or ejection\$3 or record\$3 or resistive) adj3 element)
21	BRS	128338	S20 same (capacitor or capacitive)
22	BRS	881	S21 and "347"/\$.ccls.

10/654,860

	DBs	Time Stamp	Comments	Error Definition
20	USPAT	2004/11/22 14:54		
21	US-PGPUB; USPAT; EPO; JPO	2004/11/22 14:55		
22	US-PGPUB; USPAT; EPO; JPO	2004/11/22 14:56		

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	1525	((347/20) or (347/56)).CCLS.	US- PGPUB; USPAT; EPO; JPO	2004/11/24 10:19
2	IS&R	L2	632	((347/57) or (347/59) or (347/58)).CCLS.	US- PGPUB; USPAT; EPO; JPO	2004/11/24 10:19
3	IS&R	L3	1669	((347/63) or (347/64) or (347/65) or (347/67)).CCLS.	US- PGPUB; USPAT; EPO; JPO	2004/11/24 10:19